



C500 SERIES
CAGE & BOTTLE
WASHERS

www.nsc-betterbuilt.com



C500 SERIES CAGE & BOTTLE WASHERS

Better Built Washers deliver all the features required for effective cleaning:

High pressure spray with total coverage

Wash and rinse solutions are distributed throughout the chamber by rotating spray arms positioned for complete coverage. Spray arms are driven by water pressure, no oscillating manifold is required.

Guaranteed temperatures throughout the process cycle

Chemical suppliers have specific temperature recommendations for best performance from their detergents. Our micro-processor control system allows the user to preset the correct solution temperature for each step of the process and for guaranteed bacteria kill during final rinse.

Micro-processor control for easy operation

Micro-processor controls allow the user to select from sixteen automatic cleaning cycles. Each cycle can be preset for time, temperature, chemical additives and water saving for maximum efficiency. Typical cycle timing is 22 - 28 minutes.

More spray jets to clean larger loads

Better Built cabinet washers use a total of 92 spray jets when cleaning general loads. Our high capacity cage washing system uses 104 jets.

Choice of cabinet sizes and door configurations

You can order your Better Built washer in one of two cabinet sizes, with a single door or with two doors for pass-thru operation. We also offer drop down doors or vertical lift doors, whatever works best for your facility.

Solid construction for durability

All Better Built washers are built for years of service. Stainless steel cabinets and doors are fully welded and polished to a satin finish. The complete solution circulation system, including pumps, flanges and pipe connections are constructed of stainless steel for compatibility with mild acid and alkaline detergents. No plastic or rubber piping connections are used.



INSULATED STAINLESS STEEL CABINET

INTERIOR LIGHT STANDARD

TWO PIECE CONSTRUCTION FOR EASE OF INSTALLATION

FULL WIDTH DEBRIS SCREENS

THREE LEVELS OF FILTRATION

8" TOUCH SCREEN CONTROL PANEL

OPTIONAL MODEM CONNECTION FOR REMOTE CYCLE PROGRAMMING AND DIAGNOSTICS

OVERALL SPRAY COVERAGE FROM BOTH SIDES, TOP AND BOTTOM - 92 JETS FOR OVERALL COVERAGE

FOLD DOWN DOOR WITH VIEWING WINDOW

OPTIONAL PASS THRU CABINET

C500 SERIES LOADING EQUIPMENT & ACCESSORIES


- HIGH CAPACITY LOADING RACK SYSTEM VHS-5 FOR THE C550 HOLDS APPROXIMATELY 72 SHOE BOX CAGES OR 12 RAT CAGES PER LOAD
- HIGH CAPACITY LOADING RACK SYSTEM VHS-5 FOR THE C520 HOLDS APPROXIMATELY 48 SHOE BOX CAGES OR 6 RAT CAGES PER LOAD
- CAPACITY VARIES BASED ON CAGE SIZES USED BY THE FACILITY. CONSULT NORTHWESTERN SYSTEM CORP. TO DETERMINE YOUR MAXIMUM CAGE WASHING CAPACITY.
- A COMBINATION RACK IS AVAILABLE TO HOLD BOTH CAGES AND BOTTLES DURING A MIXED LOAD CYCLE
- CUSTOM LOADING RACKS ARE AVAILABLE TO SOLVE SPECIAL CLEANING PROBLEMS




- BOTTOM ROTARY SPRAY MANIFOLD FOR BOTTLE WASHING AND GENERAL CLEANING
- FOUR SPRAY ARMS; ONE FROM BELOW, ONE FROM EACH SIDE, AND ONE FROM THE TOP, WORK TOGETHER FOR COMPLETE COVERAGE
- DROP DOWN DOOR BECOMES A CONVENIENT LOADING PLATFORM IN THE OPEN POSITION
- MOBILE TRANSFER CART IS AVAILABLE FOR HANDLING AND STORAGE OF LOADING EQUIPMENT



C500 SERIES CAGE & BOTTLE WASHERS



FRONT VIEW



SIDE VIEW

DIMENSIONS

MODEL	INTERIOR W x H x D	OVERALL W x H x D
C520	45 x 32 x 32" 1143 x 813 x 813mm	74.5 x 44 x 71" 1892 X 1128 X 1803mm
C550	45 x 48 x 32" 1143 x 1219 x 813mm	74.5 x 62.5 x 71" 1892 X 1588 X 1803mm

Note: Vertical door configuration available. Contact NORTHWESTERN SYSTEMS CORP. or our local representative for details.

ACCESSORIES

BRH-5 Bottom Rotary Header

VHS-5 Vertical Header System

TT-5 Transfer Cart

ADDITIONAL PRODUCTS FROM NORTHWESTERN SYSTEMS

Cage & Rack Washers ■ Tunnel Washers ■ Bottle Fillers ■ Necropsy Tables
Glassware Dryers ■ Custom Fixtures

Manufactured by:



NORTHWESTERN SYSTEMS CORP
1388 DERWENT WAY, DELTA
BRITISH COLUMBIA, CANADA V3M 6C4
TEL 604-777-9988 • FAX 604-777-9910
TOLL FREE: 888-553-0855
EMAIL: sales@nsc-betterbuilt.com
WEB: www.nsc-betterbuilt.com